



Corporate Office : 7- Sorathiyawadi, Nr. J.K. Mall, 80 feet Road, Rajkot - 360 002. Tel./ Fax. 0281 - 2371237 M.: 9824441714 / 99799 79708

Web : www.gbulbindia.com Email : gbulbindia@yahoo.com Kalpesh Patel 8141 188 188

India Ka Apna Bulb...

Outdoor Lighting







LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44


Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

Suitable Places : Lawn, Garden, Park, Etc

- **• ¢** Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- This wall Lamp series uses LED
- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- ♦ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.





HE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIOI

- **D c** Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- ♥ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature


2700K-6500K


Protection Class

IP 44

Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket





PRODUCT SHOWCASE | Bollards





Body Colour Black, Dark Grey, Silver Grey

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- This Lawn Lamp series uses LED
- ♥ High efficency constant current Driver ensure the light source is maximum used.
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

www.gbulbindia.com

		В	
	LAMP	Α	В
GL1101	LED 10W	125	300
GL1102	LED 10W	125	500
GL1103	LED 10W	125	800
GI1104	LED 10W	125	200

HE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature


2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC



ALL OF

PRODUCT SHOWCASE | Bollards



Body Colour Black, Dark Grey, Silver Grey







LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44


Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- The Product has the structure and appearance design patent.

- ♀ Lam body is made of aluminium alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.



LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

THE APPLICATION OF OCCASION

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIO

GL2401

GL2402

GL2403

GL2404

LAMP

LED 7W

LED 7W

LED 7W

LED 7W

в

500

70 800

106 200

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

PRODUCT SHOWCASE | Bollards





Body Colour Black, Dark Grey, Silver Grey

www.gbulbindia.com

LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44

Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- The Lamp body is made of aluminium alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.



HE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

LAMP

LED 10W

LED 10W

LED 10W

LED 10W

GL0301 GL0302

GL0303

GL0304

A B

100 500

100 800

100 200

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.

- ♦ High efficency constant current Driver ensure the light source is maximum used.
- ➡ ↑ The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

IP 54 Protection Class

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

PRODUCT SHOWCASE | Bollards













Body Colour Black, Dark Grey, Silver Grey

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class


IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.



	LAMP	Α	В
GL0304	LED 10W	100	500
GL0305	LED 10W	100	500

HE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- $\blacksquare \diamondsuit$ The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED

- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature


2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC



PRODUCT SHOWCASE | Bollards













LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class


IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.



GL 0501	E27 23W	75	300
GL 0502	E27 23W	75	500
GL 0503	E27 23W	75	800
GL 0504	E27 23W	75	200

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED

- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

	LAMP	А	В
GL 0601	LED 7W	235	300
GL 0602	LED 7W	235	500
GL 0603	LED 7W	235	800
GL 0604	LED 7W	235	200

PRODUCT SHOWCASE | Bollards







LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class


IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- **• ¢** Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- **5**.The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.



LED LAWN LIGHT

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

A

GL 0801

GL 0802

GL 0803

GL 0804

LAMP

LED 12W/E27-23W

LED 12W/E27-23W

LED 12W/E27-23W

LED 12W/E27-23W

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.

- The Lamp body is made of aluminium alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44

Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

PRODUCT SHOWCASE | Bollards



Body Colour Black, Dark Grey, Silver Grey





LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44

Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- used powder, double anti-corrosion to extend service life.

	В	ſ	┓╹
A			B

	LAMP	A	в
GL 1301	E27-18W	70	300
GL 1302	E27-18W	70	500
GL 1303	E27-18W	70	800
GL 1304	E27-18W	106	250

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIO

106 250

LAMP

LED-7W

LED-7W

LED-7W

LED-7W

GL 1401 GL 1402

GL 1403

GL 1404

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \mathbf{D} The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

PRODUCT SHOWCASE | Bollards







LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material


Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

Simple and Easy apperance, in Line with Contempary aesthetic Concept.

267

- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.



B
00
00
00
5

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIO

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LAMP A B LED-12W 150 300

LED-12W

LED-12W

LED-12W

150 800

150 200

GL 1701

GL 1702

GL 1703

GL 1704

PRODUCT SHOWCASE | Bollards







LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class


IP 54


Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.





	LAMP	Α	B
GL 1801	LED-12W	150	300
GL 1802	LED-12W	150	500
GL 1803	LED-12W	150	800
GL 1804	LED-12W	150	200

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIO

GL 1901

GL 1902

GL 1903

GL 1904

LAMP

LED-10W

LED-10W

LED-10W

A B

120 300

120 800

LED-10W 120 200

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- **• †** The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC



PRODUCT SHOWCASE | Bollards









LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54


Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.

	LAMP	А	В
GL 2001	LED-10W	120	300
GL 2002	LED-10W	120	500
GL 2003	LED-10W	120	800
GL 2004	LED-10W	120	200



LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTIO

GL 2201

GL 2202

GL 2203

GL 2204

LAMP

LED-6W

LED-6W

LED-6W

LED-6W

120 500

120 800

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \mathbf{D} The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- **• †** The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- The Lamp Body adopts high pressure cast aluminum and aluminum alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

PRODUCT SHOWCASE | Bollards





Body Colour Black, Dark Grey, Silver Grey

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP54
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.

	B LAMP		
GL 2301	LED-7W	70	300
GL 2302	LED-7W	70	500
GL 2303	LED-7W	70	800
GL 2304	LED-7W	106	250

LAWN LIGHT

Lighting technology Luminaries with E27 or B22 Lamp Holder Fixed With Energy saving Lighting Max.23W

Colour Temperature

2700K-6500K

Protection Class

IP 44

Material

Aluminum Extruded Sections, Diffuser PC and Silicon Gasket

THE APPLICATION OF OCCASIONS

Suitable Places : Lawn, Garden, Park, Etc

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \mathbf{D} The Product has the structure and appearance design patent.
- Lamp light source fix with E27/B22 energy saving lamp. Max. LED 12W/CFL 23W
- The Lamp body is made of aluminium alloy, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LAMP A B GL 2101 E27 -18W 70 300 GL 2102 E27 -18W 70 500 GL 2103 E27 -18W 70 800

E27 -18W 106 250

A

GL 2104

PRODUCT SHOWCASE | Bollards





Body Colour Black, Dark Grey, Silver Grey

LED LAWN LIGHT

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Extruded Sections, Die Casting Aluminum, Diffuser PC

Suitable Places : Lawn, Garden, Park, Etc

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- surface is coated with outdoor used powder, double anti-corrosion to extend service life.

www.gbulbindia.com

	LAMP	А	в
GL 2601	LED-7W	126	300
GL 2602	LED-7W	126	500
GL 2603	LED-7W	126	800
GL 2604	LED-7W	160	110

PRODUCT SHOWCASE | Wall Lights







LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material


Aluminum Die Casting PC Clear Acrylic

Suitable Places : Walls

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED

- with outdoor used powder, double anti-corrosion to extend service life.

www.gbulbindia.com



	LAMP	А	В
GL 3001	LED 3.5 W	106	157
GL 3002	LED 7 W	106	238

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class IP 54

Material

Aluminum Die Casting PC Clear Acrylic

THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

LAMP

LED 7 W

GL 3101 GL 3102 A B

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \mathbf{D} The Product has the structure and appearance design patent.

- ♦ High efficency constant current Driver ensure the light source is maximum used.
- The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

PRODUCT SHOWCASE | Wall Lights







PRODUCT SHOWCASE | Wall Lights





www.gbulbindia.com



LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54


Material

Aluminum Die Casting PC Clear Acrylic

Suitable Places : Walls

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This Lawn Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- with outdoor used powder, double anti-corrosion to extend service life.





Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

- **D** Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \blacksquare \diamondsuit The Product has the structure and appearance design patent.
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- ♦ High efficency constant current Driver ensure the light source is maximum used.
- ➡ ↑ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

B A LAMP A GL 3401 LED 3.5 W 82 100 GL 3402 LED 7 W 82 230


PRODUCT SHOWCASE | Wall Lights






Body Colour Black, Dark Grey, Silver Grey







THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTIO

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- ♦ High efficency constant current Driver ensure the light source is maximum used.
- ➡ ↑ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

PRODUCT SHOCASE | Wall Lights





Body Colour Black, Dark Grey, Silver Grey

PRODUCT SHOWCASE | Wall Lights

LED Foot Light





Body Colour Black, Dark Grey, Silver Grey

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54

Material


Aluminum Die Casting PC Clear Acrylic

Suitable Places : Walls

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This wall Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- with outdoor used powder, double anti-corrosion to extend service life.

www.gbulbindia.com





Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class IP 54

Material

Aluminum Die Casting PC Clear Acrylic

THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \blacksquare \diamondsuit The Product has the structure and appearance design patent.
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- ➡ ↑ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

■ Simple and ■ C Simple and ■ The Product ■ This wall La

 B
 A
 B
 C

 LAMP
 A
 B
 C

 GL 3701
 LED 3.5 W
 80
 75
 66

 GL 3702
 LED 7 W
 80
 141
 66

PRODUCT SHOWCASE | Wall Lights







Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

Suitable Places : Walls

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LAMP

LED 6 W

LED 12 W 230

GL 3801 GL 3802

A B

PRODUCT SHOWCASE | Wall Lights





Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \mathbf{D} The Product has the structure and appearance design patent.
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- ➡ ↑ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED 6 W

LED 12 W

GL 3801 GL 3802

PRODUCT SHOWCASE | Wall Lights





PRODUCT SHOWCASE | Wall Lights







LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This wall Lamp series uses LED
- The Light Diffusion PC cover, anti aging and UV, Protection grade to IP44
- The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

www.gbulbindia.com



GL 3902

LED 12 W 230 40

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature

2700K-6500K

Protection Class

IP 54

28

Material

Aluminum Die Casting PC Clear Acrylic

THE APPLICATION OF OCCASIONS

Suitable Places : Walls

PRODUCT DESCRIPTION

LAMP

LED 7 W

LED 7 W

GL 4001

GL 4002

A B

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- \blacksquare \diamondsuit The Product has the structure and appearance design patent.

- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- ➡ ↑ The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

PRODUCT SHOWCASE | Wall Lights





PRODUCT SHOWCASE | Wall Lights





LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

Suitable Places : Walls

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.
- This wall Lamp series uses LED

- with outdoor used powder, double anti-corrosion to extend service life.

Suitable Places : Walls

PRODUCT DESCRIPTION

LAMP

LED 7 W

LED 3.5 W 00 40

GL 4201

GL 4202

A B

- Simple and Easy apperance, in Line with Contempary aesthetic Concept.
- **• †** The Product has the structure and appearance design patent.

- ♦ High Efficency Constant Current Driver, Ensure the Light source is maximum used.
- The Lamp body is made of High Pressure cast aluminium, the surface is coated with outdoor used powder, double anti-corrosion to extend service life.

LED Wall Light

Lighting technology Luminaries with LED Lamp With LED Integral Power Supply unit

Colour Temperature 2700K-6500K

Protection Class

IP 54

Material

Aluminum Die Casting PC Clear Acrylic

PRODUCT SHOWCASE | Wall Lights



